

ZAHIR
publishing

Buku Referensi

Manfaat Air *Maqi'*

Terhadap Mual dan Muntah
Pascaoperasi



Ns. Sandra, M.Kep., Sp.Kep., M.B.

MANFAAT AIR NAQI' TERHADAP MUAL DAN MUNTAH PASCAOPERASI

Ns. Sandra, M.Kep., Sp.Kep, M.B



**MANFAAT AIR NAQI'
TERHADAP MUAL DAN MUNTAH PASCAOPERASI**

Penulis

Ns. Sandra, M.Kep., Sp.Kep, M.B

Kontributor

Dr. Debie Dahlia, S.Kp., MHSM

Riri Maria, S.Kp., MANP

dr. Dino Irawan, Sp.An

dr. Suindra, Sp.B (K) BD

Ns. Dipa Handra, S.Kep

Mimil Ratnamila, AMK. AN

Ns. Rosa Devita, S.Kep

Ns. Agus Salim, S.Kep

Agustina, Amk

Rahmadinta, Amk

Tata Letak

Arypena

Desain Sampul

Fauzin

14 x 20 cm, vi + 90 hlm.

Cetakan I, Maret 2022

ISBN: 978-623-466-020-3

Diterbitkan oleh:

ZAHIR PUBLISHING

Kadisoka RT. 05 RW. 02, Purwomartani,

Kalasan, Sleman, Yogyakarta 55571

e-mail : zahirpublishing@gmail.com

Anggota IKAPI D.I. Yogyakarta

No. 132/DIY/2020

Hak cipta dilindungi oleh undang-undang.

Dilarang mengutip atau memperbanyak

sebagian atau seluruh isi buku ini

tanpa izin tertulis dari penerbit.

KATA PENGANTAR

Puji syukur kehadirat Allah Tabaraka Ta'ala atas limpahan Kasih Sayang-Nya, penyusunan "Buku Referensi tentang Manfaat Air Naqi' Terhadap Mual dan Muntah PascaOperasi" dapat diselesaikan guna memberikan informasi kepada masyarakat sebagai pasien sesuai dengan kondisi yang akan dialami setelah pembedahan, juga khusus kepada Perawat Medikal Bedah sebagai pemberi Asuhan Keperawatan yang komprehensif, berkelanjutan dan profesional, sebagai pengajar maupun peneliti.

Mual dan muntah pascaoperasi, merupakan masalah umum yang dapat terjadi pada pasien, dan berdampak besar bagi pemulihan dalam perawatan perioperatif. Mual dan muntah yang belum maksimal ditangani, akan memperpanjang lama hari rawat dan menambah biaya pengobatan, sehingga berdampak pada stressor pasien dan meningkatkan gangguan rasa aman dan nyaman. Dalam hal ini, penulis perlu memberikan informasi yang tepat dan mudah dipahami tentang keluhan mual muntah setelah operasi dan bagaimana air naqi' dapat menurunkannya, berdasarkan penelitian yang telah dilakukan oleh penulis. Buku referensi ini, meliputi informasi umum tentang mual muntah pascaoperasi, bagaimana bisa terjadi dan bagaimana pemanfaatan air naqi' sebagai terapi komplementer produk tradisional dan cara membuatnya sendiri di rumah yang dapat menurunkan mual muntah pascaoperasi.

Kepada semua pihak pendukung dalam penyusunan buku referensi ini, penulis sampaikan terima kasih atas kontribusi yang telah diberikan. Semoga Allah Tabaraka Ta'ala membala segala kebaikan dan buku ini dapat memberikan manfaat bagi perkembangan ilmu dan praktik keperawatan, khususnya Keperawatan Medikal Bedah di masa yang akan datang, serta dapat meningkatkan pengetahuan masyarakat dalam menggunakan Air Naq'i secara benar sesuai kebutuhan tepat guna.

Pekanbaru, Maret 2022

Penulis

DAFTAR ISI

KATA PENGANTAR	iii
SAMBUTAN KEPALA INSTALASI BEDAH SENTRAL RSUD ARIFIN ACHMAD PROVINSI RIAU	v
SAMBUTAN KEPALA RUANG RAWAT INAP BEDAH RSUD ARIFIN ACHMAD PROVINSI RIAU	vii
DAFTAR ISI	ix
BAB 1	
INFORMASI UMUM.....	1
A. Peta Penelitian Keilmuan	2
B. Apa itu Mual Muntah?	3
C. Bagaimana Terjadinya Mual Muntah Pascaoperasi?	4
BAB 2	
BAGAIMANA MEMANFAATKAN AIR NAQI	29
A. Apa itu Air Naqi?.....	30
B. Bagaimana Air Naqi Menurunkan Mual Muntah Pascaoperasi?	32
C. Menggunakan Kurma Pilihan.....	39
D. Meracik dan Mengolah Kurma menjadi Air Naqi'	43
E. Hal yang Perlu diperhatikan Ketika Memanfaatkan Air Naqi'	46
BAB 3	
STUDI KASUS DAN REVIEW DATA PENELITIAN.....	49
A. Latar Belakang	50
B. Studi Kasus	52
Manfaat Air Naqi' Terhadap Mual dan Muntah Pascaoperasi	ix

C. Ilustrasi Pelaksanaan	57
D. Bahasan Hasil Penelitian	61
DAFTAR PUSTAKA	74
BIOGRAFI PENULIS	88

DAFTAR PUSTAKA

- Aarts, M.A., Okrainec, A., Wood, T., & McLeod. (2013). *Enhanced Recovery after Surgery Guideline: A Quality Initiative of the Best Practice in General Surgery Part of CAHO's ARTIC program*. Diperoleh dari: <http://anesthesiology.queensu.ca/assets/i.pdf>
- Aditya, R., Syah, D., & Arintawati, M. (2015). Fermentation profiles of Nabidh (Fruit juice). *Journal of halal research*. November 2015, Vol.1 No.1. Diperoleh dari: <http://www.halalmui.org>
- Aftab, S., Khan, A.B., & Raza, G. (2008) The Assessment of risk factors for postoperative nausea and vomiting. *Journal of the College of Physicians and Surgeons Pakistan*. 2008, Vol. 18 (3): 137-141. doi: 03.2008/JCPSP.137141.
- Aitkenhead, A.R., Moppett, L.K., & Thompson, J.P. (2013). *Smith & Aitkenhead's: Textbook of anaesthesia*. Sixth Edition. Ebook ISBN: 978-0-7020-5112-8. Diperoleh dari: www.elsevier.com
- Al-Isfahani. (2006). *Mausu'ah ath thibbun nabawi*. Beirut: Dar ibn hazm
- Ali, A., Y.S.M. Al-Kindi, and F. Al-Said. (2009). Chemical composition and glycemic index of three varieties of Omani dates. *International Journal of Food Sciences and Nutrition*, 2009. 60 (1 supp 4): p. 51 - 62.
- Al-Shahib, W & Marshall, R.J. (2003). The fruit of the date palm: its possible use as the best food for the future. *International Journal of Food Sciences and Nutrition*, 2003. 54(4): p. 247-259.

- American College of Surgeons. (2015). *Cholecystectomy: Surgical removal of the gallbladder*. Diperoleh dari: <https://www.facs.org/patienteducation>
- American Society of PeriAnesthesia Nurses. (2006). ASPAN'S Evidence-Based clinical practice guideline for the prevention and/or management of PONV/PDNV. *Journal of PeriAnesthesia Nursing*, Vol 21, No 4 (August), 2006: pp 230-250. Doi:10.1016/j.jopan.2006.06.003
- Amponsah, G. (2007). Postoperativenausea and vomiting in Korle Bu Teaching Hospital. *Ghana Medical Journal*. 2007 Dec; 41(4): 181–185. PMC2350117
- Apfelbaum, J.L., Agarkar, M., Connis, R.T., Coté, C.J., Nickinovich, D.G., & Warner, M.A. (2017). Practice Guidelines for Preoperative Fasting and the Use of Pharmacologic Agents to Reduce the Risk of Pulmonary Aspiration: Application to Healthy Patients Undergoing Elective Procedures: An Updated Report by the American Society of Anesthesiologists Task Force on Preoperative Fasting and the Use of Pharmacologic Agents to Reduce the Risk of Pulmonary Aspiration. *Anesthesiology* 2017; 126: 376-93. Diperoleh dari: <http://anesthesiology.pubs.asahq.org/pdf>
- Apfel, C.C., Heidrich, F.M., Rao, J., Jalota, L., Hornuss, C., Whelan, R.P., et al. (2012). Evidence-based analysis of risk factors for postoperative nausea and vomiting. *British Journal of Anasthesia* 109 (5): 742-53 (2012). doi:10.1093/bja/aes276
- Awad, S., Varadhan, K.K., Ljungqvist, O., Lobo, D.N. (2013). A meta-analysis of randomised controlled trials on preoperative oral carbohydrate treatment in elective surgery. *Elsevier Ltd and European Society for Clinical Nutrition and Metabolism*. All rights reserved. <http://dx.doi.org/10.1016/j.clnu.2012.10.011>

- Bajwa, S.S., Bajwa, S., & Kaur, J. (2010). Comparison of two drug combinations in total intravenous anaesthesia: Propofol-ketamine and propofol-fentanyl. *Saudi Journal of Anaesthesia*, 4(2), 72. Doi: 10.4103/1658-354x.65132
- Barrett, K.E., Barman, S.M., Boitano, S & Brooks, H.L. (2016). *Ganong's review of medical physiology*. 24th Edition. McGraw-Hill Companie
- Barreveld, W.H. (1993). Date-Palm Products. *Bulletin No 101*. Rome, Italy: Food and Agriculture Organization of the United Nations. Diperoleh dari <http://www.fao.org/docrep/t0681e/t0681e00.htm>
- Becker, D.E. (2010). Nausea, vomiting, and hiccups: A review of mechanisms and treatment. *Anesthesia Progress*, 57 (4):150-157. <http://doi.org/10.2344/0003-3006-57.4.150>
- Bilku, D.K., Dennison, A.R., Hall, T.C., Metcalfe, M.S., Garcea, G. (2014). Role of preoperative carbohydrate loading: a systematic review. *Ann R Coll Surg Engl* 2014; 96: 15–22. doi 10.1308/003588414X1382451165061
- Board, T & Board, R. (2006). The role of 5-HT3 receptor antagonist in preventing postoperative nausea and vomiting. *AORN Journal*. January 2006. Vol.83. No. 1. [https://doi.org/10.1016/S0001-2092\(06\)60241-X](https://doi.org/10.1016/S0001-2092(06)60241-X)
- Bopp, C., Hofer, S., Klein, A., Weigard, M.A., Martin, E & Gust, R.. (2011). A liberal preoperative fasting regimen improves patient comfort & satisfaction with anesthesia in care in day-stay minor surgery. *Minerva Anaesthesiol*. Diperoleh dari: <https://www.ncbi.nlm.nih.gov/pubmed/19190563>
- Burch, J. (2016). Preoperative carbohydrate loading in the enhanced recovery pathway.

British Journal of Nursing, 2016, Vol 25, No 12. Diperoleh dari: <https://www.magonlinelibrary.com/.../bjon.2016.25.12.669>

Brenner, P & Kautz, D.D. (2015). *Postoperative care of patients. Postoperative care of patients undergoing same-day laparoscopic cholecystectomy*. Diperoleh dari: <http://dx.doi.org/10.1016/j.aorn.2015.04.021>

_____. (2016). British Columbia Enhanced Recovery Collaborative; Guidance on Pre-Operative Carbohydrate-Loading Beverage. *Clinical Guidance Note 2*. June 8, 2016. Diperoleh dari: www.sscbc.ca

Chandrasekaran, M., & Bahkali, A.H. (2013). Valorization of date palm (*Phoenix dactylifera*) fruit processing by-products and wastes using bioprocess technology-Review. *Saudi Journal of Biological Sciences* (2013) 20, 105–120. Diperoleh dari: www.sciencedirect.com

Cakar, E., Yilmaz, E., Cakar, E., & Baydur, H. (2016). The effect of preoperative oral carbohydrate solution intake on patient comfort: a randomized controlled study. *American Society of PeriAnesthesia Nurses*. 1089-9472. Diperoleh dari: <http://dx.doi.org/10.1016/j.japan.2016.03.008>

Chatterjee, S., Rudra, A., Sengupta, S. (2011). Review Article: Current concepts in the management of postoperative nausea and vomiting. *Anesthesiology research and practice*. Volume 2011, Article ID 748031, 10 pages doi:[10.1155/2011/748031](https://doi.org/10.1155/2011/748031)

Choi, S.U. (2016). Is postoperative nausea and vomiting still the big "little" problem?

Korean Journal of Anesthesiology. 2016 February 69(1): 1-2. <http://dx.doi.org/10.4097/kjae.2016.69.1.1>

- Cohen, M.M., Duncan, P.G., Deboer, D.P., & Tweed, W.A. (1994). The Postoperative interview: Assessing risk factors for nausea and vomiting. *Anesth Analg.* 1994; 78:7-16. PMID: 8267183.
- Collins, A.S. (2011) Postoperative nausea and vomiting in adult: Implication for critical care. *Critical Care Nurse Journal.* 31(6). 36-45 Diperoleh dari: <http://pdfs.semanticscholar.org>
- Cotton, J.W., Rowell, L.R., Hood, R. R., & Pellegrini, J. E. (2008). A comparative analysis of isopropyl alcohol and ondansetron in the treatment of post operative nausea and vomiting from the hospital setting to home. *AANA Journal.* 75 (1). 21-28. Diperoleh dari <http://www.anna.com/annajournal.aspx>
- Duggan, E.W., Carlson, K., & Umpierrez, G.E. (2017). Perioperative Hyperglycemia Management. *An Update Anesthesiology*, V 126. No 3. Diperoleh dari: <http://anesthesiology.pubs.asahq.org>
- Faria, M.S., De Aguilar-Nascimento, J.E., Pimenta, O.S., Alvarenga, L.C., Dock- Nascimento, D.B., Shlessarenko, N. (2009). Preoperative fasting of 2 hours minimizes insulin resistance and organic response to trauma after video- cholecystectomy: a randomized, controlled, clinical trial. *World J Surg.* 2009;33(6):1156–64. DOI: 10.1007/s00268-009-0010-x
- Ferrie, S., Daniells, S., Gagnon, S., Hamlyn, J., Jukkola, K., Riley, N, ...Zarshenas, N. (2015). Enteral nutrition manual for adult in health care facilities. *Dietitians association of Australia.* Diperoleh dari: <http://daa.asn.au/wp-content/uploads/2015/04/Enteral-nutrition-manual-January-2015.pdf>

- Gan, T.J., Diemunsch, P., Habib A.S., Kovac, A., Kranke, P., Meyer, T.A., et al. (2014). Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg* 2014; 118:85e113. Diperoleh dari: <http://www.anesthesia-analgesia.org>
- Gillis, C & Carli, F. (2015). Promoting Perioperative Metabolic and Nutritional Care. *Anesthesiology*, 2015; No 6. 123:1455-72.
- Gundzik, K. (2008). Nausea and vomiting in the ambulatory surgical setting. *Orthopaedic Nursing*. 27 (3), 182-187. Doi: 10.1097/01.NOR.0000320547.43481.66
- Godshall M.A. (2007) Sugar and Other Sweeteners. In: Kent J.A. (eds) *Kent and Riegel's Handbook of Industrial Chemistry and Biotechnology*. Springer, Boston, MA
- Halim, S. (2012). Respon metabolismik terhadap stres. *Majalah Kedokteran Terapi Intensif*. Volume 2 Nomor 4 Oktober 2012. <http://perdici.org/wp-content/uploads/mkti/2012-02-04/mkti2012-0204-191197.pdf>
- Hambridge, K. (2012). Assessing the risk of post-operative nausea and vomiting. *Nursing Standard*. Vol. 27, 18, 35-43.
- Hartanto, B., Suwarman & Sitanggang, R.H. (2016). Hubungan antara durasi puasa preoperatif dan kadar gula darah sebelum induksi pada pasien operasi elektif di rumah sakit Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif*. [JAP.2016;4(2):87- 94]. <http://dx.doi.org/10.15851/jap.v4n2.822>
- Hartono, A. (2000). *Asuhan Nutrisi Rumah Sakit: diagnosis, konseling dan preskripsi*. Jakarta: EGC
- Hellström, P.M., Gryback, P., & Jacobson, H. (2006). The physiology of gastric emptying. *Best Practice &*

Research Clinical Anaesthesiology. Vol. 20, No. 3, pp. 397e407, 2006. Doi: 10.1016/j.bpa.2006.02.002.

Diperoleh dari: <http://www.sciencedirect.com>

Hewitt, V & Watts, R. (2009). The effectiveness of non-invasive complementary therapies in reducing postoperative nausea and vomiting following abdominal laparoscopic surgery in woman: A systematic review. *Journal British In Library of Systematic Review*. 7(19), 850-907. Diperoleh dari:<https://www.ncbi.nlm.nih.gov/pubmed/27819924>

Husaen, H. (2015). *Pengaruh berbuka puasa dengan buah kurma dibandingkan teh manis terhadap respon glikemik, vas latar, dan vas kenyang pada subjek sehat yang berpuasa selama + 12 jam*. Tesis tidak dipublikasikan. Universitas Indonesia.

Husniati. (2009). Studi karakterisasi sifat fungsi maltodekstrin dari pati singkong. *Jurnal Riset Industri*. Vol.III. No. 2, Agustus 2009:133-138. Diperoleh dari: <http://ejournal.kemenperin.go.id/jri/article/view/51/47>

Islam, S & Jain, P.N. (2004). Post-operative nausea and vomiting (PONV): A review article. *Indian J. Anaesth.* 2004; 48 (4): 253-258. Diperoleh dari: <http://www.medind.nic.in/iad/t04/i4/iadt04i4p253.pdf>

Jain, S.M. (2015). Health benefits of date palm: Phytochemicals and their functions. *3rd International Conference and Exhibition on Pharmacognosy, Phytochemistry & Natural Products*. October 26-28, 2015. <http://dx.doi.org/10.4172/2329-6836.C1.008>

Jamaludin, M.A., Ramli, M.A & Salleh, M.M. (2013). Pendekatan integratif dalam kajian hukum Islam: Aplikasi terhadap kadar alkohol yang dibenarkan dalam makanan dan minuman. *The 7 th ISDEV. International Islamic*

- Development Management Conference*. 9-10 December 2013. Universiti sains Malaysia. Penang, Malaysia
- Janicki, P.K., Vealey, R., Liu, J., Escajeda, J., Postula, M & Welker, K. (2011). Genome-wide association study using pooled dna to identify candidate markers mediating susceptibility to postoperative nausea and vomiting. The American Society of Anesthesiologists, Inc. Lippincott Williams & Wilkins. *Anesthesiology* 2011; 115:54 –64. doi: 10.1097/ALN.0b013e31821810c7.
- Juliana, Y.H. (2013). *Gambaran kejadian post operative nausea and vomiting (PONV) pada pasien yang menjalani anestesi umum dengan menggunakan Laryngeal mask airway (LMA) di RSUD Arifin Achmad Provinsi Riau*. Skripsi tidak dipublikasikan. Universitas Riau.
- Kaška, M., Grosmanová, T., Havel, E., Hyšpler, R., Petrová, Z., Brtko, M., ... Sluka, M. (2010). The impact and safety of preoperative oral or intravenous carbohydrate administration versus fasting in colorectal surgery – a randomized controlled trial. *Wiener klinische Wochenschrift: The Middle European Journal of Medicine*. (2010) 122: 23–30. DOI 10.1007/s00508-009-1291-7
- Kementerian Kesehatan RI. (2015). *Pedoman nasional pelayanan kedokteran anestesiologi dan terapi intensif*. Diperoleh dari http://hukor.depkes.go.id/uploads/produk_hukum/KMK_No.HK.02.02-MENKES-251-2015
- Kim, T.H., Choi, B.M., Chin, J.H., Lee, M.S., Kim, D.H., & Noh, G.J. (2007). The reliability and validity of the rhodes index of nausea, vomiting and retching in postoperative nausea and vomiting. *Korean Journal Anesthesiol* Vol.

- 52, No. 6, June, 2007. <https://synapse.koreamed.org/Synapse/Data/PDFData/1011KJAE/kjae-52-S59.pdf>
- Kreitzer, M.J & Koithan, M. (2014). *Integrative nursing*. New York: Oxford University Press.
- Ku, C.M., & Ong, B.C. (2003). Post operative nausea and vomiting: a review of current literature. *Singapore Medical Journal*. Vol. 44(7):366-374. Diperoleh dari: <https://pdfs.semanticscholar.org>
- Ljunggren, S., Hahn, R.G., & Nystrom, T. (2014). Insulin sensitivity and beta-cell function after carbohydrate oral loading in hip replacement surgery: A double- blind, randomised controlled clinical trial. *Clinical Nutrition*. 33 (2014). 392-398. <http://dx.doi.org/10.1016/j.clnu.2013.08.003>
- Li, L., Wang, Z., Ying, X., Tian, J., Sun, T., Yi, K., Yang, K (2012). Preoperative carbohydrate loading for elective surgery: a systematic review and meta-analysis. *Surg Today* (2012) 42:613–624. DOI 10.1007/s00595-012-0188-7
- Manickavasagan, A., Essa, M.M., & Sukumar, E.E. (2012). *Dates: Production, processing, food and medicinal values*. CRC Press: New York.
- Miller,A., McKee, A., & Mazer, C.D. (2007). Sedation, analgesia and related topics. *Cardiothoracic Critical Care*, 53-70. Doi: 10.1016/b978-075067572-7.50007-2
- Nascimento, J.E.D.A & Nascimento, D.B.D. (2010). Reducing preoperative fasting time: A trend based on evidence. *World J Gastrointest Surg* 2010; 2(3): 57-60 Available from: URL: <http://www.wjgnet.com/1948-9366/full/v2/i3/57.htm> DOI: <http://dx.doi.org/10.4240/wjgs.v2.i3.57>
- Nascimento, D.B.D., Nascimento, J.E.D.A., Faria, M.S.M., Caporossi, C., Slhessarenko, N., and Waitzberg, D.L.

(2012). Evaluation of the effects of a preoperative 2-hour fast with maltodextrine and glutamine on insulin resistance, acute-phase response, nitrogen balance, and serum glutathione after laparoscopic cholecystectomy: a controlled randomized trial. *Journal of Parenteral and Enteral Nutrition*. Vol. 36, No. 1, January 2012. doi: 10.1177/0148607111422719.

Nasir, M.U., Hussain, S., Jabbar, S., Rashid, F., Khalid, N., & Mehmood, A. (2015). A review on the nutritional content, functional properties and medical potential of dates. *Sci Lett.* 2015; 3(1):17-22. Diperoleh dari: http://thesciencepublishers.com/science_letters/files/v3i1-4-2014044-SL.pdf

Nasrallah, N. (2007). *Annals of the caliphs' kitchens; Ibn Sayyarat-warraq's tenth- century Baghdadi cookbook*. English translation with introduction and glossary. Koninklijke Brill NV, Leiden: The Netherlands

Nygren, J. (2006). The metabolic effects of fasting and surgery. *Best Clin Pract.* 2006;20(3):429–38. <https://doi.org/10.1016/j.bpa.2006.02.004>

Nygren, J., Thorell, A., Jacobsson, H., Larsson, S., Schnell, P.O., Hylén, L., et al. (1995). Preoperative gastric emptying. Effects of anxiety and oral carbohydrate administration. *Ann Surg.* 1995 Dec;222(6):728-34. PMID: 8526579 PMCID: PMC1235021

Nygren, J., Thorell, A & Ljungqvist, O. (2015). Preoperative oral carbohydrate therapy. *Current Opinion* 2015, 28:364–369. DOI:10.1097/ACO.0000000000000192.

Pierre, S., Benais, H & Pouymayou, J. (2002). Apfel's simplified score may favourably predict the risk of postoperative nausea and vomiting. *Can J Anaesth.* 2002. Mar;49(3):237-42. DOI: 10.1007/BF03020521

- Pierre, S & Whelan, R. (2012). Nausea and vomiting after surgery. *Continuing Education in Anaesthesia Critical Care & Pain*. Volume 13, Issue 1, 1 February 2013, Pages 28–32. doi:10.1093/bjaceaccp/mks046. Diperoleh dari: <http://ceaccp.oxfordjournals.org/>
- Rahman, M.H & Beattie, J. (2004). Post-operative nausea and vomiting. *The Pharmaceutical Journal*. Vol. 273. Diperoleh dari: <http://www.pjonline.com>
- Rinanto, J. (2015). *Keajaiban resep obat nabi SAW: Menurut sains klasik dan modern*. Jakarta: Qisti Press.
- Rhodes, V.A & McDaniel, R.W. (1999). The Index of nausea, vomiting, and retching (INVR). a new format of the Index of Nausea and Vomiting. *Oncol.Nurs Forum*, 26, 889-894. PMID: 10382187
- Roberts, G.W., Bekker, T.B., Carlsen, H.H., Moffatt, C.H., Slattery, P.J., & McClure, A.F. (2005). Postoperative nausea and vomiting are strongly influenced by postoperative opioid use in a dose-related manner. *Anesth Analg*. 2005;101(5):1343-8. DOI: 10.1213/01.ANE.0000180204.64588.EC
- Roh, Y.H., Gong, H.S., Kim, J.H., Nam, K.P., Lee, Y.H., & Baek, G.H. (2014). Factors associated with postoperative nausea and vomiting in patients undergoing an ambulatory hand surgery. *Clinics in orthopedic surgery* 2014; 6:273-278. <http://dx.doi.org/10.4055/cios.2014.6.3.273>
- Russell, R. (2012). Nausea and vomiting: A history of signs, symptoms and sickness in nineteenth-century Britain. *A thesis submitted to the University of Manchester for the degree of PhD in the Faculty of Life Sciences*. Diperoleh dari: https://www.research.manchester.ac.uk/portal/files/54518573/FULL_TEXT.PDF

- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar metodologi penelitian klinis* (edisi ke- 4). Jakarta: Sagung Seto.
- Sherwood, L. (2016). *Human physiology: from cells to systems*. Ninth Edition. Boston. Belmont, CA:Brooks/Cole, Cengage Learning
- Shoelson, S.E., Lee, J., & Goldfine, A.B. (2006). Inflammation and insulin resistance.
- The Journal of Clinical Investigation*. Volume 116. Number 7. July 2006. Doi:10.1172/JCI29069. Diperoleh dari: <http://www.jci.org>.
- Simurina, T., Mraovic, B., Skitarelic, N., Andabaka, T., & Sonicki, Z. (2012). Influence of the menstrual cycle on the incidence of nausea and vomiting after laparoscopic gynecological surgery: a pilot study. *Journal of clinical anesthesia*. Volume 24, Issue 3, May 2012, Pages 185-192. DOI: 10.1016/j.jclinane.2011.07.011
- Singh, B.N., Dahiya, D., Bagaria, D., Saini, V., Kaman, L., Kaje, V., Jain, K. (2015). Effects of preoperative carbohydrates drinks on immediate postoperative outcome after day carelaparoscopic cholecystectomy. *Surg Endosc*. 2015 Nov; 29 (11):3267- 72. doi: 10.1007/s00464-015-4071-7. Epub 2015 Jan 22.
- Smith, C., Lieberman, M., Marks, A.D. (2013). *The Fed or absorptive state. Marks, basic medical biochemistry: A Clinical approach* 4 th ed. Philadelphia: Lippincott Wiliams & Wilkins.
- Son, J & Yoon, H. (2016). Factors affecting postoperative nausea and vomiting in surgical patients. *American Society of PeriAnesthesia Nurses*. <http://dx.doi.org/10.1016/j.japan.2016.02.012>

- Sturgess, J., Davies, J., Valchanov, K. (2014). *A Surgeon's guide to anaesthesia and peri-operative care*. University Printing House. Cambridge CB2 8BS: United Kingdom
- Stren, RM., Kock, K.L., Andrews, P.L.R. (2011). *Nausea: Mechanism and management*. New York: Oxford University Press, Inc
- Supatmi. (2013). *Pengaruh aromaterapi terhadap mual dan muntah pada pasien post operasi dengan anestesi umum di RSUD Panembahan Senopati kabupaten Bantul Yogyakarta*. Tesis tidak dipublikasikan. Universitas Indonesia.
- Tafti, A.G & Fooladi, M. H. (2005). Changes in physical and chemical characteristic of mozafati date fruit during development. *Journal of biological sciences*. 5 (3): 319-322.2005. Diperoleh dari: <http://www.docsdrive.com/pdfs/ansinet/jbs/2005/319-322.pdf>
- Watcha, M.F & White, P.F. (1992). Postoperative nausea and vomiting; Its etiology, treatment, and prevention. *Anesthesiology*. 77:162-184, 1992. Diperoleh dari: <http://www.anesthesiology.pubs.asahq.org>
- Weimann, A., Braga, M., Carli, F., Higashiguchi, T., Hübner, M., Klek, S., Singer, P. (2017). ESPEN guideline: Clinical nutrition in surgery. *Clinical Nutrition* 36 (2017) 623e650. <http://dx.doi.org/10.1016/j.clnu.2017.02.013>
- Yilmaz, N., Çekmen, N., Bilgin, F., Erten, E., Özhan, M.O., Coşar. (2013). Preoperative carbohydrate nutrition reduces postoperative nausea and vomiting compared to preoperative fasting. *Journal of research in medical sciences*. 2013 Oct; 18(10):827–832. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3897064>
- Zhang, C.R., Aldosari, S.A., Vidyasagar, P.S.P.V., Nair, K.M & Nair, M.G. (2013).

Antioxidant and anti-inflammatory assays confirm bioactive compounds in ajwa date fruit. *Journal of agricultural and food chemistry*. dx.doi.org/10.1021/jf401371v | J. Agric. Food Chem. XXXX, XXX, XXX–XXX

BIOGRAFI PENULIS



Sandra adalah nama penulisnya. Ibu dari 4 orang anak, yang sudah memulai karirnya sebagai perawat di Rumah Sakit sejak tahun 1998 sampai sekarang. Ia telah memiliki pengalaman bekerja di pelayanan keperawatan, selama kurang lebih 15 tahun di 5 Rumah Sakit Pekanbaru, diantaranya pernah menjadi Staf Pelaksana, Penanggung Jawab Tim, Kepala Ruang Penyakit Dalam, Ruang Bedah dan Ruang VVIP, Supervisor, Kepala Sub Bagian, Instruktur Klinik dan terakhir Kepala Bidang Keperawatan.

Tertarik masuk dunia Keperawatan sejak tamat SMA, di SMA Negeri 27 Jakarta. Selama menjadi mahasiswa Keperawatan, ia mendapatkan peringkat Cumlaude Sempurna atau Summa Cumlaude pada jenjang pendidikan Ners di Universitas Riau dan Pendidikan Spesialis di Universitas Indonesia.

Menulis buku ilmiah yang menggunakan namanya sendiri dan diterbitkan penerbit, baru ini pengalaman pertamanya. Sedangkan karya penelitian lainnya yang sudah dimuat pada jurnal Nasional Terakreditasi, diantaranya Gambaran Stres Pada Pasien Gagal Ginjal Terminal Yang Menjalani Terapi Hemodialisa di Rumah Sakit Umum Daerah Arifin Achmad Pekanbaru (2012), *Application of*

Listening to Vaghe'a Surah and Its Translation on The State and Trait Anxiety Before Elective Digestive Surgeries (2020) dan Studi Kasus Gangguan Mobilitas Fisik Pasien Stroke Iskemik dengan Hemiparesis setelah Diberikan Stimulasi Sikat Sensori (2021).

Penelitian yang ia lakukan pada jenjang Magister Keperawatan di Universitas Indonesia, menjadi penelitian pertama di Indonesia bahkan di dunia Internasional tentang Pengaruh Pemberian Air Naqi' Terhadap Mual dan Muntah Post Operasi pada Pasien Elektif Bedah Digestif (2019). Kini ia bekerja di Universitas Hang Tuah Pekanbaru sebagai Dosen dan sebagai preceptor mentorship mahasiswa serta berkesempatan menjadi konsultan keperawatan bedah digestif di Rumah Sakit. Penulis berharap dapat menginspirasi pembaca melalui buku referensi ini dan dengan kalimat andalannya yaitu, "Jika sudah memulai, maka akhirilah dengan semaksimal mungkin dari yang bisa dirimu kerjakan dengan maksimal."